

Roverpet #44PR – 4' x 4' Puppy Rail Assembly Instructions



Inventory List for The Roverpet #44PR Puppy Rail System:

- (2) #PR48LB 48" Long Support Bar (2) #48CB 48" Long Crossbar and
(4) 2", 3", 4", 5", 6" or 8" high legs (depending on style of Roverpet Puppy Rail System ordered)

Assembly Procedure

Special Notes: If the Roverpet 4'x4' whelping box consists of a door panel, it needs to be configured with the door located on the right to allow door hinge clearance.





Assembly of the Roverpet Puppy Rail System needs to be done outside of your existing Roverpet whelping box, than installed into the whelping box once fully assembled.


- 1.) Unpack contents of shipping carton and compare to inventory list above.
- 2.) Install all (4) legs of the Roverpet Puppy Rail System into the 4 small leg hole locations on both #PR48LB.



- 3.) Insert one end of the #48CB's into the large holes located near the ends of (1) #PR48LB. Slide the #48CB into the hole until about 4" is protruding through.





- 4.) Install the second #PR48LB into the two remaining ends of the #48CB's, using the same method as before. Make certain that all 4 legs installed in Step 2 are situated in the same direction.



- 5.) Take the assembled Roverpet Puppy Rail System and lower one side of the rails into your Roverpet whelping box. Line up the #PR48LB connecting ends with the 2nd vertical bars of the whelping box panels.

Note: Make sure the #PR48LB connecting end will not be installed on a door panel, rotate the Roverpet Puppy Rail Assembly 90° to avoid attachment on door panel. Verify the legs will rest on the floor of your whelping box when installation is complete.



- 6.) Clip the #PR48LB connecting ends around the vertical bars.



- 7.) With the one side of the #PR48LB installed on the vertical bars, slide the high-side of the Roverpet Puppy Rail System down into the Roverpet whelping box. Make sure the #PR48LB connecting ends are installed in the same manner as in the prior step.



8.) Push the whole Roverpet Puppy Rail System down until all four legs are resting on the Roverpet whelping box floor.

Note: Pig Rails can reduce the risk of possible suffocation. Note: Puppies should be watched at all times when small.



Congratulations, you are now ready to use your Roverpet Puppy Rail System with your Roverpet Whelping Box!

Property of Roverpet

www.roverpet.com

